



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Vinginia 22313-1450 www.uspto.gov

APPLICATION NUMBER

FILING OR 371 (c) DATE

FIRST NAMED APPLICANT

ATTORNEY DOCKET NUMBER

10/825,132

04/16/2004

Sadayuki Iwai

250970US2CONT

22850 OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET **ALEXANDRIA, VA 22314**



Date Mailed: 06/30/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings contain excessive text. Suitable descriptive legends may be used, or may be required by the Examiner where necessary for understanding of the drawing but should contain as few words as possible (see 37 CFR 1.84(o)). See Figure(s) 3A-3D, 4, 5, 6A-6C.

Replies should be mailed to:

Mail Stop Missing Parts

Commissioner for Patents

P.O. Box 1450

Alexandria VA 22313-1450

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



OBLON SPIVAK McClelland MAIER NEUSTADT P.C.

ATTN: APPLICATION BRANCH

THIS IS A RESPONSE TO A NOTICE TO FILE CORRECTED APPLICATION PAPERS

ATTORNEYS AT LAW

COMMISSIONER FOR PATENTS ALEXANDRIA, VIRGINIA 22313

Re: Inventor:

Sadayuki IWAI

Serial No:

10/825,132

Filed:

April 16, 2004

For:

IMAGE FORMATION APPARATUS

SIR:

Attached hereto for filing are the following papers:

Notice to File Corrected Application Papers Letter Submitting Replacement Drawing Sheet(s)/Replacement Sheets (7)

Our check in the amount of \$0.00 is attached covering any required fees. In the event that any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 CFR 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 CFR 1.136 for the necessary extension of time. A duplicate of this sheet is enclosed.

Respectfully Submitted,

Docket No.

250970US2CONT

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.

Marvin J. Spivak ℓ

Registration No. 24,913

Joseph A. Scafetta, Jr. Registration No. 26, 803

Customer Number

22850

Tel. (703) 413-3000 Fax. (703) 413-2220 (OSMMN 05/03)

Docket No.:

250970US2CONT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION: Sadayuki IWAI

SERIAL NO.: 10/825,132

GAU: 2852

FILED: April 16, 2004

EXAMINER:

FOR: IMAGE FORMATION APPARATUS

LETTER SUBMITTING REPLACEMENT DRAWING SHEET(S)

COMMISSIONER FOR PATENTS Alexandria, VA 22313

SIR:

Responsive to the below indicated communication, the following drawing sheets are submitted herewith:

7 Replacement Drawing Sheets	New Drawing Sheets
Official Action dated	
Notice of Allowance/Issue Fee dated	
Other Notice to File Corrected Application Papers dated June 30, 2004	
The changes and/or modifications made include the following:	
The replacement drawing sheets are submitted to meet the Patent and Trademark Office requirement.	

Respectfully Submitted,

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.

Marvin J. Spivak

Registration No. 24,913

Joseph A. Scafetta, Jr. Registration No. 26, 803

Customer Number 22850

Tel. (703) 413-3000 Fax. (703) 413-2220 (OSMMN 06/04)